


How to add new destinations in DCS

- 1) Type *exploreconfig* in DCS console window and hit enter



This takes you to the scheduler.xml file

Name	Date modified	Type	Size
logs	2022/12/06 16:05	File folder	
previous versions	2022/12/06 16:00	File folder	
temp	2022/10/21 10:55	File folder	
scheduler.xml	2022/12/06 16:10	XML Document	177 KB
scheduler.xml.bak	2022/12/06 16:05	BAK File	177 KB
scheduler.xml.EXAMPLE	2020/06/25 15:11	EXAMPLE File	93 KB

You can also go directly to `C:\Users\Administrator\AppData\Local\never.no\Dynamic Content Scheduler` folder where scheduler.xml is located

- 2) Close DCS by typing *persist* in the DCS console window, and then click the x in upper right corner
- 3) Make a copy of scheduler.xml (add current date to name) and put it in the “previous versions” folder
- 4) Open scheduler.xml in an editor
- 5) Under `<handler name="xmlexport2">`, add the following
 - a. For carousel:

```
<datasource name="show_1" type="complete" subtype="social" source="show_1"
activeparam="active" />
```

Replace "show_1" with show name both under *name* and *source*

b. For poll:

```
<datasource name="show_1_poll" type="poll" subtype="poll"
source="show_1_poll_acc" />
```

Replace "show_1" with show name both under *name* and *source* (keep the *_poll* and *_poll_acc*)

```
<handler name="xmlexport2">
  <entry name="active">true</entry>
  <entry name="threading">True</entry>
  <entry name="error_handling_strategy">Retry</entry>
  <entry name="error_retry_attempts">1</entry>
  <entry name="error_retry_wait_seconds">2</entry>
  <entry name="config">
    <datasources>
      <datasource name="feed1" type="complete" subtype="social" source="feed1" activeparam="active" />
      <datasource name="feed2" type="complete" subtype="social" source="feed2" activeparam="active" />
      <datasource name="feed3" type="complete" subtype="social" source="feed3" activeparam="active" />
      <datasource name="show_1" type="complete" subtype="social" source="show_1" activeparam="active" />
      <datasource name="poll1" type="poll" subtype="poll" source="poll1_acc" />
      <datasource name="poll12" type="poll" subtype="poll" source="poll12_acc" />
      <datasource name="poll13" type="poll" subtype="poll" source="poll13_acc" />
      <datasource name="show_1_poll" type="poll" subtype="poll" source="show_1_poll_acc" />
    </datasources>
    <target name="xml">
      <formatter type="xml" use_new_format="true" filename_prefix="display" url_prefix="C:\ProgramData\RTSoftware\RTSW\TOGMediaWatcher\inbox\" />
      <publisher type="localifs" path="C:\ProgramData\RTSoftware\RTSW\TOGMediaWatcher\inbox" />
    </target>
  </entry>
  <entry name="loglevel">info</entry>
</handler>
```

6) Under

```
<entry name="data" description="All data">
  <entry name="datasources">
```

Add the following:

a. For carousel:

```
<entry name="show_1" data_type="carousel" />
```

Replace "show_1" with show name

b. For poll:

```
<entry name="show_1_poll" data_type="poll" auto_acc="true" />
```

```
<entry name="show_1_poll_acc" data_type="show_1_poll_acc" />
```

Replace "show_1" with show name

```


<entry name="data" description="All data">
  <entry name="datasources">
    <entry name="dcs status" data_type="internal" description="DCS 1.x compatibility">
      <entry name="main_control" data_type="signal" description="ID buttons (backwards compatibility)" />
      <entry name="dcs_control" data_type="signal" />
      <entry name="dcs_control info" data_type="signal info">
      <entry name="dcs_control_events" data_type="signal_events" />
      <entry name="dcs_template attachments" />
      <entry name="feed1" data_type="carousel">
      <entry name="feed2" data_type="carousel">
      <entry name="feed3" data_type="carousel">
      <entry name="show 1" data_type="carousel" />
      <entry name="poll1" data_type="poll" auto_acc="true" />
      <entry name="poll1_acc" data_type="poll_acc" />
      <entry name="poll2" data_type="poll" auto_acc="true" />
      <entry name="poll2_acc" data_type="poll_acc" />
      <entry name="poll3" data_type="poll" auto_acc="true" />
      <entry name="poll3_acc" data_type="poll_acc" />
      <entry name="show_1_poll" data_type="poll" auto_acc="true" />
      <entry name="show 1 poll acc" data_type="show 1 poll acc" />
    </entry>
  </entry>

```



Note I have minimized some nodes here, so you might see a lot of messages in the datasources if not.

- 7) Save file and restart DCS
- 8) Check that XMLs have been published in

C:\ProgramData\RTSoftware\RTSW\TOGMediaWatcher\inbox\



- 9) Check that the new destinations show in Dizplai:



10) Anything not working, roll back to backup file by replacing it with the scheduler.xml file